



FONDI
EN 10253-1
 S235

DISHED ENDS
EN 10253-1
 S235

CARBON STEEL

O D1 EST.MM O D1 OUTS.DIAM MM	SPESSORE THICKNESS	H	PESO TEORICO THEORETICAL WEIGHT KG
26,90	2,30	11	0,02
33,70	2,60	11	0,03
42,40	2,60	11	0,05
48,30	2,60	12	0,06
60,30	2,90	17	0,10
76,10	2,90	19	0,16
88,90	3,20	23	0,22
101,60	3,60	25	0,34
108,00	3,60	26	0,39
114,30	3,60	26	0,39
133,00	4,00	32	0,56
139,70	4,00	36	0,63
159,00	4,50	43	0,93
168,30	4,50	45	1,06
193,70	5,40	56	1,87
219,10	6,30	69	2,82
244,50	6,30	75	3,41
273,00	6,30	90	5,00
323,90	7,10	99	6,32
355,60	8,00	106	10,14
406,40	8,80	125	10,94