




## TEE UGUALI E RIDOTTI SENZA SALDATURA

EN 10253-2

### SEAMLESS EQUAL AND REDUCING TEE

EN 10253-2

CARBON STEEL



Ø D1 EST.MM Ø D1 OUTS. DIAM MM	Ø D2 EST.MM Ø D2 OUTS. DIAM MM	SPESSORE THICKNESS 2	SPESSORE THICKNESS 2	A	A+A	PESO TEORICO THEORETICAL WEIGHT KG
21,30	21,30	2,00	2,00	50	50	0,09
26,90	26,90	2,30	2,30	29	58	0,15
33,70	33,70	2,60	2,60	38	76	0,25
	21,30	2,60	2,00			0,25
	26,90	2,60	2,30			0,25
42,40	42,40	2,60	2,60	48	96	0,47
	26,90	2,60	2,30			0,47
	33,70	2,60	2,60			0,47
48,30	48,30	2,60	2,60	57	114	0,68
	26,90	2,60	2,30			0,68
	33,70	2,60	2,60			0,68
	42,40	2,60	2,60			0,68
60,30	60,30	2,90	2,90	64	128	1,10
	33,70	2,90	2,60			1,10
	42,40	2,90	2,60			1,10
	48,30	2,90	2,60			1,10
76,10	76,10	2,90	2,90	76	152	1,50
	42,40	2,90	2,60			1,50
	48,30	2,90	2,60			1,50
	60,30	2,90	2,90			1,50
88,90	88,90	3,20	3,20	86	172	2,20
	48,30	3,20	2,60			2,20
	60,30	3,20	2,90			2,20
	76,10	3,20	2,90			2,20
114,30	114,30	3,60	3,60	105	210	4,30
	60,30	3,60	2,90			4,30
	76,10	3,60	2,90			4,30
	88,90	3,60	3,20			4,30

Ø D1 EST.MM Ø D1 OUTS. DIAM MM	Ø D2 EST.MM Ø D2 OUTS. DIAM MM	SPESSORE THICKNESS 2	SPESSORE THICKNESS 2	A	A+A	PESO TEORICO THEORETICAL WEIGHT KG
139,70	139,70	4,00	4,00	124	248	6,20
	76,10	4,00	2,90			6,20
	88,90	4,00	3,20			6,20
	114,30	4,00	3,60			6,20
168,30	168,30	4,50	4,50	143	286	9,00
	88,90	4,50	3,20			8,80
	114,30	4,50	3,60			8,80
	139,70	4,50	4,00			9,00
219,10	219,10	6,30	6,30	178	356	19,70
	88,90	6,30	3,20			19,70
	114,30	6,30	3,60			19,70
	139,70	6,30	4,00			19,70
	168,30	6,30	4,50			19,70
273,00	273,00	6,30	6,30	216	432	26,20
	168,30	6,30	4,50			26,20
	219,10	6,30	6,30			26,20
323,90	323,90	7,10	4,50	254	508	49,00
	219,10	7,10	6,30			47,00
	273,00	7,10	6,30			47,00
355,60	355,60	8,00	8,00	279	558	68,00